

PRO-CUT 3D Reflective Heat Transfers

Pro-Cut 3D Reflective Heat Transfers are created out of a durable, polyurethane based material, soft hand, highly flexible, matte finish and scratch, crack, fade and UV resistant. They are certified for no harmful substances, and are free from PVC, plasticizers, and heavy metals. Pro-Cut Reflective Heat Transfers allow you to create professional, personalized garments quickly, easily and cost-effectively. Available as transfers (no minimum purchase requirement) and roll good form (minimum purchase of 1 roll - 20" x 5 yds).

Application Instructions

Heat Transfer Machine Settings:

Temperature: 305°F (150°C)

Pressure: 60-80 PSI or 4-6 bar (Firm)

Step 1:

Preheat garment/panel 10-20 seconds prior to application of transfer.

Step 2:

Place heat transfer onto garment/panel. Cover with kraft or teflon paper. Using heat transfer settings, apply transfer for 8-10 seconds.

Step 3:

Let garment/panel cool down to room temperature. Remove heat transfer liner cool.

Recommended Fabrics:

100% Cotton

100% Polyester

Poly/cotton Blends

Polyester knits and mesh

Care Instructions:

Machine wash using mild detergent.

Wash temperature should not exceed 140°F (60°C)

Do not use bleach.

Dry at normal setting on household machines.

Do not dry clean (with the exception of silver).

Do not commercial launder.

Do not iron directly onto heat transfer.



ALL GUIDELINES AND TECHNICAL INFORMATION ARE BASED ON WHAT WE BELIEVE TO BE ACCURATE. HOWEVER WE CANNOT GUARANTEE PERFORMANCE OF THE PRODUCT NOT UNDER THE MANUFACTURER'S CONTROL. PLEASE DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS END USE. THE USER ASSUMES ALL RISK AND LIABILITY WITH RESPECT TO THE USE OF THIS PRODUCT. WE WILL ONLY REPLACE GOODS DETERMINED BY THE SELLER AND MANUFACTURER AS DEFECTIVE.

Copyright © 2017




**Block Bindings
& Interlinings Ltd**

9500 Rue Meilleur, Suite 402
Montreal, Quebec H2N 2B7

T. (514) 381-7493

F. (514) 381-6725

PRO-CUT 3D Reflective Colour Guide



BLACK



SILVER



**Block Bindings
& Interlinings Ltd**

9500 Rue Meilleur, Suite 402
Montreal, Quebec H2N 2B7

T. (514) 381-7493

F. (514) 381-6725

***Colours shown are approximate.